



Australian Government  
Department of Industry,  
Innovation and Science

**National  
Measurement  
Institute**

**Appointment as a Utility Meter Verifier**

Acting under section 18RA of *National Measurement Act 1960* (Cth), the Secretary of the Department of Industry, Innovation and Science hereby appoints:

**EDMI PTY LTD  
(ABN 65 010 061 391)  
162 South Pine Road  
Brendale QLD 4500**

as a utility meter verifier for

**Electricity Meters**

This appointment is for the period from 22 March 2016 to 21 March 2019 and is limited to the class or classes of utility meter(s) specified in the attached schedule.

Dated this *twenty first* day of *March* 2016

Stephen Horrocks  
For Secretary  
Department of Industry, Innovation and Science

Certificate: NMI2016-006-EDMI Form No. NMI/UMV Rev. 5.4 Page 1 of 4

# Schedule to Appointment as a Utility Meter Verifier

**EDMI PTY LTD**  
**(ABN 65 010 061 391)**  
**162 South Pine Road**  
**Brendale QLD 4500**

## Verification Mark

Acting under section 18RC of the *National Measurement Act 1960* (Cth) the Secretary hereby allocates the following verifier's mark for use by the appointee when verifying utility meters:

**EDM** OR **EDMI**

## Scope of Appointment


Single phase and polyphase kilowatt hour (kW.h) electricity meters.

## Class(es) of electricity meter which may be verified

Class 0.2, class 0.5, class 1 and class 1.5 electricity meters as referenced in NITP 14 *National Instrument Test Procedures for Utility Meters*.

## Tests

- (i) Verification of electricity meters in accordance with the requirements of NITP 14 *National Instrument Test Procedures for Utility Meters*; and
- (ii) Any additional test as specified in the relevant certificate of approval.



Stephen Horrocks  
For Secretary  
Department of Industry, Innovation and Science


## Statutory Conditions

This appointment as a utility meter verifier under section 18RA of the *National Measurement Act 1960* (Cth) is subject to the conditions stated in section 18RB of the *National Measurement Act 1960* (Cth) as amended. At the time of appointment section 18RB contains the following conditions:

- a) if the verifier is an individual—that the verifier must not personally verify a utility meter unless he or she is competent to test that class of utility meter;
- aa) that the verifier must not employ a person to verify a utility meter unless that person is competent to test that class utility meter;
- b) if the verifier employs persons to verify utility meters - that the verifier provide a list to the Secretary of the employees who will verify utility meters;
- c) that the verifier, and its employees (if any), comply with the requirements of this Act;
- d) that the verifier, and its employees (if any), comply with the requirements of a trade measurement inspector made under this Act;
- e) that the verifier maintain such reference standards of measurement as the Secretary specifies in writing;
- f) that the verifier participate in such training in respect of the verification of utility meters as the Secretary requires in writing;
- g) that the verifier report as required in writing by the Secretary concerning its role as a utility meter verifier.

### Note:

Section 18RCA provides that for the purposes of the conditions set out in paragraphs 18RB(a) and (aa) of the *Act*, a person who is accredited by the National Association of Testing Authorities to test a class of utility meter is taken to be competent to test that class of utility meter.



Stephen Horrocks  
For Secretary  
Department of Industry, Innovation and Science

## Additional Conditions

In addition to the statutory conditions of appointment of authorities contained in section 18RA of the *National Measurement Act 1960* (Cth) this appointment is also subject to the following conditions:

- (i) Continuing accreditation against AS ISO/IEC 17025 (2005) *General requirements for the competence of testing and calibration laboratories* in the form of NATA accreditation No. 15287 including NATA test class(es): 1.39.21, and the tests specified in NITP 14 *National Instrument Test Procedures for Utility Meters*;
- (ii) Compliance with NITP 14 *National Instrument Test Procedures for Utility Meters*;
- (iii) Discharge of all financial obligations to the National Measurement Institute in respect of this appointment;
- (iv) During the term of this appointment all staff responsible for marking utility meters and/or issuing batch verification certificates under regulation 2.36B of the *National Trade Measurement Regulations 2009* (Cth) under this appointment must attend a legal metrology seminar conducted by the Legal Metrology Policy Section of the Legal Metrology Branch of the National Measurement Institute; and
- (v) This appointment revokes and replaces any previous appointments and/or any extensions granted to any previous appointments.

### Notes:

1. Nil.



Stephen Horrocks  
For Secretary  
Department of Industry, Innovation and Science